



Mooring tail to provide shock/energy absorbing within the mooring system. The EUROFLEX® Mooring Tails surpass the nylon tails in quality, the energy absorption is better, the rope remains elastic for a longer time and the rope does not lose a large portion of its dry MBF when it is wet. As the strength is higher than that of nylon, a smaller diameter of rope can be used, providing better handling. Made of polyester and polypropylene composite yarns, the standard length produced is 11m Effective Working Length, with 2 protected eyes of 2,0m and 1,0m respectively.



# EUROFLEX® 11 M MOORING TAIL



SPECIFIC GRAVITY	• 1,14	CONSTRUCTION	• 8-strand plaited
UV-RESISTANCE	• good	TCLL VALUE	• 79,6%
ABRASION RESISTANCE	• very good	COLOUR	• white
CHEMICAL RESISTANCE	• good	MARKER YARN	• yellow
ELONGATION	• see graph	WATERABSORPTION	• <0,5%
MELTING POINT	• approx. 165°C/265°C		

Art.number	Diameter (mm)	Weight (kg/ tail)	MBF (kN)	Weight (lbs/ tail)	MBF (lbs)
152.448	48	24,0	583	53	131.064
152.450	56	32,5	784	72	176.250
152.447	60	37,4	896	82	201.429
152.449	62	40,1	955	88	214.693
152.451	64	42,5	1.010	94	227.057
152.454	68	47,9	1.140	106	256.282
152.452	72	53,7	1.270	118	285.507
152.455	76	59,8	1.410	132	316.981
152.453	80	66,5	1.550	147	348.454
152.446	84	73,3	1.710	162	384.423
152.456	88	80,4	1.870	177	420.393

Diameter, weight and MBF (as well as other mechanical and physical properties) are determined according ISO 2307:2005. The MBF refers to the breaking strength in the rope/wire itself, without splices or any other form of termination that can be formed with or without the use of accessories/fittings.

OCIMF recommends mooring tails with a MBF of 125% related to the steel wire rope mooring line. EUROFLEX® MOORING TAILS have equal breaking strength under wet and dry conditions



Corresponding mooring wires for these tails, please refer to page S-10



For users of this Lankhorst product it is possible to join our Recycling program. Please consult our sales department for the program conditions.



Royal Lankhorst Euronete

GROUP BV